





**Date:** \_\_\_\_\_

**Project:** \_\_\_\_\_

**Fixture Type:** \_\_\_\_\_

**Specifier/Rep:** \_\_\_\_\_


△ WITH LED (D8-6041)

Certified by  for North American Standard

**APPLICATION:**

Recessed - Trimless

**CONSTRUCTION:**

**Fixture Material:**

Plaster

**Fixture Finish:**

(See next page for available options)

**Available Finish/Size/Lamping Options**

Options Available (See next pages)

**Component Requirement:**

Complete Unit, no component required

**ELECTRICAL:**

**Lamp Category:** LED

**Power Supply:**

Integral

**Voltage/Constant Current:**

12

(277v or 347v available upon request)

**Emergency:**

N/A

**IP RATING:**

N/A

**OPTICS:**

**Diffusor Material:**

N/A

**Diffusor Finish:**

(See next page for available options)

**Reflector:** N/A

**Efficiency:**

N/A

**PRODUCT FEATURES:**

Plaster Housing Frame with 13W LED adjustable Metal White Spot (LED lamp with integral driver included)



# Invisibili - Adjustable - 7" - LED 13w

Date: \_\_\_\_\_

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Specifier/Rep: \_\_\_\_\_

## Available Sizing/Lamp Options:

| Model No | Fixture - Diffuser | Details  |
|----------|--------------------|--|
| D8-6222  | White - N/A        | L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 5cm / 2", One LED, Max. 13W, 12V, (3000°)K, 40° |
| D8-6223  | White - N/A        | L: 20cm / 7 3/4" W: 20cm / 7 3/4" H: 5cm / 2", One LED, Max. 13W, 12V, (6000°)K, 40° |

Date: \_\_\_\_\_

Project: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Specifier/Rep: \_\_\_\_\_

## Installation Guide

